




SERIE 1800 | **HIDDEN**

SERIES 1800 | *HIDDEN*






KIT 1800-1150 - MAX 80 KG
KIT 1800-1150/40 - MAX 40 KG
KIT 1800-1530 - MAX 80 KG
KIT 1800-1530/40 - MAX 40 KG




Legenda KIT / Kit Legend

1805	Guida superiore regolabile <i>Adjustable upper truck</i>
1806	Carrello inferiore <i>Lower truck</i>
0106	Guida inferiore <i>Lower runner</i>
01.TT1800	Tappo terminale <i>End cover</i>
1898 DX-SX	Decelerante DX-SX (80kg) <i>Soft Closing Stopper R-L (80kg)</i>
1897 DX-SX	Decelerante DX-SX (40kg) <i>Soft Closing Stopper R-L (40kg)</i>
02.PE350Z	Perno <i>Pin</i>
02.VTSC3515Z	Vite 3.5x15 <i>Screw 3.5x15</i>
02.VTSC3540Z	Vite 3.5x40 <i>Screw 3.5x40</i>
02.VTSC4540Z	Vite 4.5x40 <i>Screw 4.5x40</i>
02.UXR635	Tassello <i>Dowel</i>
1800	Profilo superiore L=1150mm / L=1530mm <i>Upper profile L=1150mm / L=1530mm</i>
0251	Profilo inferiore L=1000mm / L=1500mm <i>Lower profile L=1000mm / L=1500mm</i>






Sezione verticale senza battiscopa
Vertical section without skirting board




Sezione verticale con battiscopa
Vertical section with skirting board




APERTURA SINISTRA
LEFT OPENING

APERTURA
OPENING




APERTURA DESTRA
RIGHT OPENING



APERTURA
OPENING



Posizione guida inferiore
Lower guide position



Posizione guida superiore / Upper truck position




A = 47 mm	Per porta con fresata passante For door with through milling
A = 55.5 mm	Per porta con fresata cieca For door with blind milling
B = 54 mm	Per porta con fresata passante For door with through milling
B = 62.5 mm	Per porta con fresata cieca For door with blind milling




Dimensioni standard per porta con fresata passante (apertura completa del vano)

Standard dimensions for door with through milling (complete doorway opening)



Dimensioni standard per porta con fresata cieca (apertura completa del vano)


Standard dimensions for door with blind milling (complete doorway opening)





Schema di foratura per porta con fresata passante

Door drilling with through milling



Schema foratura per porta con fresata cieca

Door drilling with blind milling

