

Панта HODOR

Приложение:

Чепова панта открит кант. Горна & долна панта.
Със стоп функция. Необходим отвор в стъклото.
Реглаж на ъгъла посредством уплътненията.
160 градуса отваряне.

Дебелина на дъното от 10mm.

Материал: Алуминий – хром или черен мат

Размер: 45 x 85 x 43 mm (W/L/H)

Дебелина врата (стъкло): 8 – 12 mm

Отвор: Ø 12 mm

Максимална товароносимост: 38 kg на врата.

Макс, p-p врата: 600 x 2000 x 12mm (W/H/T)

1 к-т= 1 горна + 1 долна панти

Код No.:

Хром # 15.06.080 **52,80 лв с ДДС**



Черен мат # 15.06.082 **65,71 лв с ДДС**

Вкл.. 6 CSK стоманени винта Ø6 x 18 mm, 4 безцв.

PVC уплътнения по 1mm & 2 черни РА
за реглажа на позицията на затваряне.






TÜV Approved
EN 15570:2008
80.000 Cycles









A = Напълно вкопана.

B = Издадена 4,5mm.



Реглаж на позицията посредством уплътненията.



Панти за стъкло и плоскости EASY

Панта "Easy", високо рамо, хром/черна, отв. 180DG, за 8-10mm или 14-16 mm панел, със стопер, тяло от цам & ос от неръждаема стомана, вкл. 4 евро винта $\varnothing 6,3 \times 10 \text{ mm}$ + 2 стоманени винта $3,5 \times 10 \text{ mm}$ & 2 бели или черни РА6 уплътнения - 1mm



Панта хром, за панел 8-10 мм, **ког: 15.04.105 - 12,00 лв с ДДС**

Панта хром, за панел 14-16 мм, **ког: 15.04.110 - 12,00 лв с ДДС**







Панта черна, за панел 8-10 мм, **ког: 15.04.106 - 12,91 лв с ДДС**

Панта черна, за панел 14-16 мм, **ког: 15.04.111 - 12,00 лв с ДДС**



Филм за панта EASY:

<https://youtu.be/x1bvdeev1K0>



Панти за стъкло и плоскости EASY





Фиксиращи тапи за панти EASY

Тапи за закрепване на панта "Easy" к-т 2 броя,
за плоскост или стъкло, стомана 304 -
черна или грана, отвор М6, р-р $\varnothing 20 \times 9\text{mm}$,
вкл. пластмасово уплътнение -
черна/бяла ПВХ, разпробиване: $\varnothing 12\text{mm}$

Фикс. тапи от стомана, грана, **kog: 15.04.120 - 7,20 лв с ДДС**

Фикс. тапи от стомана, черна **kog: 15.04.121 - 7,20 лв с ДДС**




Предни капачки за стъкло за панти EASY

Предна капачка за панта "Easy",
за стъклена врата, цам, р-р 55x30mm,
хром или черна, вкл. 2 РН винта М6х10mm,
2 РН винта М6х16mm и 1 бяло/черно
уплътнение РА6 - 0,8 mm


Предна капачка, хром - **ког: 15.04.125 - 7,20 лв с ДДС**

Предна капачка, черна - **ког: 15.04.126 - 7,20 лв с ДДС**

Комплект уплътнения EASY - **ког: 15.04.123 - 1,50 лв с ДДС**



Комплект уплътнители, за капачка за закрепване,
на панти "Easy", за стъклена врата,
черно РА3 - различна уплътнения
използват се за по-добра визия през стъклото



AUTOMATIC GLASS DOOR HINGE WITH DOUBLE SPRING ACTION

Opening angle: 92°

Glass door drilling:

26 mm for glass thickness 4 to 6 mm

Supplied complete with wing mounting plate.


Steel nickel pl. 3 mm distance for chipboard screw attachment

housing: plastic black

Hingearm keyhole type, steel nickel pl.



15.01.700	ниско рамо	2,52 лв
15.01.710	високо рамо	2,52 лв



Application case


of glass hinge Ø26 mm

H - height of mounting plate

D - panel thickness


K - drilling distance from the edge of glass door to the edge of the hole

A - gap between door and side board



D	K	3	4	5	6	7
H	0	15	16	17	18	19

A	K	3	4	5	6	7
H	0	3	2	1	0	-1




COVER CAPS FOR HINGE "MINI"

FRONT COVER PLASTIC

15.02.720	кръгла хром	0,98 лв
15.02.721	кръгла злато	0,98 лв
15.02.722	кръгла черно	0,98 лв
15.02.723	кръгла, алум.	1,13 лв
15.02.724	кръгла, мат ник	0,98 лв /по заявка/

15.02.730	овал, хром	0,86 лв
15.02.731	овал, злато	1,02 лв
15.02.732	овал, черно	0,86 лв
15.02.733	овал, алум.	0,86 лв
15.02.734	овал, мат ник	0,86 лв/по заявка/




SOFT CLOSE MINI GLASS DOOR HINGE Ø 26 MM - 95°



Standard model

**SOFT CLOSE
LIP-ON
F/ 4-6 MM GLASS
Ø 26 MM**

Hinge w/mounting plate f/easy up & down adjustment (optional)




- H = height of mounting plate
- D = required door overlay
- K = drilling distance from the edge of door to the edge of the cup hole
- A = gap between door and sidepanel

Ниско рамо (A)
15.01.720 - **7,44 лв**

Средно рамо (B)
15.01.721 - **7,44 лв**

Високо рамо (C)
15.01.722 - **7,44 лв**








SOFT CLOSE MINI GLASS DOOR

HINGE Ø 26 MM - 95°

Opening angle: 95°
 Depth of hinge cup: 10,6 mm
 Diameter of hinge cup: 26 mm
 Possible drilling distances on the glass door (K): 4-7 mm
 Glass door thickness: 4-6 mm

Cup drawing



Steel - Nickel Plated		Item No.	D: Overlay calculations	A: Gap calculations																
Full overlay (A)	 $H=12,5+K-D$	15.01.720 Incl. SISO name plate + mounting plate $H = 0$	<table><tr><th>D \ K</th><th>3</th><th>4</th><th>5</th></tr><tr><th>0</th><td>15,5</td><td>16,5</td><td>17,5</td></tr><tr><th>2</th><td>13,5</td><td>14,5</td><td>15,5</td></tr><tr><th>4</th><td>11,5</td><td>12,5</td><td>13,5</td></tr></table>	D \ K	3	4	5	0	15,5	16,5	17,5	2	13,5	14,5	15,5	4	11,5	12,5	13,5	
D \ K	3	4	5																	
0	15,5	16,5	17,5																	
2	13,5	14,5	15,5																	
4	11,5	12,5	13,5																	
Half overlay (B)	 $H=3,5+K-D$	15.01.721 Incl. SISO name plate + mounting plate $H = 0$	<table><tr><th>D \ K</th><th>3</th><th>4</th><th>5</th></tr><tr><th>0</th><td>6,5</td><td>7,5</td><td>8,5</td></tr><tr><th>2</th><td>4,5</td><td>5,5</td><td>6,5</td></tr><tr><th>4</th><td>2,5</td><td>3,5</td><td>4,5</td></tr></table>	D \ K	3	4	5	0	6,5	7,5	8,5	2	4,5	5,5	6,5	4	2,5	3,5	4,5	
D \ K	3	4	5																	
0	6,5	7,5	8,5																	
2	4,5	5,5	6,5																	
4	2,5	3,5	4,5																	
Inset (C)	 $H=-4+K+A$	15.01.722 Incl. SISO name plate + mounting plate $H = 0$	<table><tr><th>A \ K</th><th>3</th><th>4</th><th>5</th></tr><tr><th>0</th><td>1</td><td>0</td><td>-1</td></tr><tr><th>2</th><td>3</td><td>2</td><td>1</td></tr></table>	A \ K	3	4	5	0	1	0	-1	2	3	2	1					
A \ K	3	4	5																	
0	1	0	-1																	
2	3	2	1																	
		$H = 0$ f/chipboard screws Clip-on	Delivered as standard mounting plate with all hinges. Chipboard screws to be ordered separately.																	
		15.03.728-0 $H = 0$ f/euro screws Clip-on	To be ordered separately if easy up & down adjustment is wanted. Pre-mounted euro screws included.																	
 15.01.830 , ABS Chrome plated cover	 15.01.831 , ABS Alu plated cover	 Хром 15.01.820 - 1,44 лв	 Алуминий 15.01.821 - 1,44 лв																	

GLASS DOOR HINGES "SMART-92" WITH FRONT COVER

GLASS DOOR HINGE „SMART-92“

Application

For inset doors. Ideal for furniture where only a very narrow wooden side-wall/pole is available.
Direct fixing to side-wall/pole without any mounting plate

Mounting

Glass door drilling: Ø26 mm
Glass thickness: 4-6 mm C.C. 32 mm

Material

Hinge arm: Zamak, nickel plated
Hinge cup: Black plastic




15.01.000

3,16 лв

Plastic cover cap Ø32 mm

15.01.050 - алум.

1,27 лв



GLASS DOOR HINGES F/DRILLING

GLASS DOOR HINGE „NICE“

Function: Inset doors,
w/catch function,
height adjustable

Material: Brass, chrome plated





Glass thickness: 4-6 mm

Opening angle: 105 degree

Drilling: Ø19 mm



15.06.450	16,51 лв
-----------	----------



GLASS DOOR HINGE „ELEGANT“

Function: Inset doors


Material: Brass - brushed nickel

Glass thickness: 6 mm





Opening angle: 270 degree

Drilling: Ø 12 mm

Item No.: # 15.06.461



15.06.461	21,60 лв
-----------	----------




GLASS DOOR HINGE 11.300

Material: Steel **Kog** Цена в лв с ДДС
 Chrome plated # 15.06.036 - **7.44**
 Black anodized # 15.06.037
 Alu finish # 15.06.038

Mounting:
 Top + Bottom
 Inset Doors, max 4-6 mm
 Complete with nylon bushing & POM screws w/soft tip

Front plate:
 Size: 50 x 23 mm

Optional, to be ordered separately
BALL CATCH # 15.06.076 - **1,80**
Material: Brass
Size: Ø 8 mm x 13 mm



GLASS DOOR HINGE 11.561


Material: Steel

15.06.096	хром	3,74 лв
15.06.095	черно	3,60 лв
15.06.098	алуминий	4,56 лв

Mounting:
 Top + Bottom
 Inset Doors, max 5 mm
 Complete with nylon bushings, steel screws & sleeve

Front plate:
 Size: 40 x 14,5 mm

Optional, to be ordered separately
BALL CATCH # 15.06.076 - **1,80**
Material: Brass
Size: Ø 8 mm x 13 mm



GLASS PIVOT HINGE “BRASS”


Mounting: Inset doors.
 Complete with brass bushings & softtip screws

Material: 3 mm brass

Hinge size: 42 x 27 x 16 mm
 (W/H/D)

Bushing size: Ø 8 x 11 mm

Glass thickness: 4 - 8 mm



15.06.070	хром	33,00 лв
-----------	------	----------

GLASS PIVOT HINGES "STAINLESS STEEL" - NO DRILLING

MODEL "SMALL"

Mounting:

Inset doors. Complete with brass bushings & soft tip screws

Material:


2 mm stainless steel, polished

Hinge size: 42 x 20 x 13 mm
(W/H/D)

Bushing size: Ø9 x 8 mm

Glass thickness: 6 mm

15.06.060	17,04 лв
-----------	----------



MODEL "MEDIUM"

Mounting:

Inset doors. Complete with brass bushings & soft tip screws

Material:


2 mm stainless steel, polished

Hinge size: 52 x 26 x 16 mm
(W/H/D)

Bushing size: Ø10 x 9 mm

Glass thickness: 8 mm

15.06.062	18,00 лв
-----------	----------



MODEL "LARGE"

Mounting:

Inset doors. Complete with brass bushings & soft tip screws

Material:


2 mm stainless steel, polished

Hinge size: 71 x 35 x 17 mm
(W/H/D)

Bushing size: Ø10 x 9 mm

Glass thickness: 10 mm

15.06.064	19,20 лв
-----------	----------



MAGNETIC TOUCH LATCHES


MAGNETIC TOUCH LATCH

Knock in type
- No striker included

Finish: Black Plastic # 22.01.095
Bore: Ø 11 x 38 mm **0,60 лв с ДДС**

Packing

350 pcs per box
2800 pcs per export carton



MAGNETIC TOUCH LATCH


- SINGLE

Screw on - No striker included
- round type

Finish: black plastic # 22.01.070
Fixation: c.c. 22 mm **1,20 лв с ДДС**

Packing

250 pcs per box
1000 pcs per export carton



MAGNETIC TOUCH LATCH


- DOUBLE

Screw on - no striker included
- round type

Finish: black plastic # 22.01.088
Fixation: c.c. 18 mm/51 mm **1,60 лв с ДДС**

Packing

500 pcs per box




CATCH PLATE - GLASS

with Handle & Pad
Size: 23 x 40 mm
4-6 mm glass thickness

Material: Steel
Chrome plate # 22.03.015
Black anodized # 22.03.016
2,10 лв с ДДС

Packing

200 pcs per box
1000 pcs per export carton




CATCH PLATE - GLASS

With Pad
Size: 40 x 25 mm
4-6 mm glass thickness

Material: Steel
Black anodized # 22.03.111
Chrome plated # 22.03.115
1,80 лв с ДДС

Packing

200 pcs per box
1000 pcs per export carton



MAGNET TOUCH LATCH "SLIM" W/STRIKER

Application: Push-to-open touch latch for doors and drawers with magnet & striker. Suitable for wood & glass fronts

Material: Black ABS, White ABS, Grey ABS RAL 7040



Overall size: 84,5 mm x 14,5 mm

Extended: 105 mm




Item No.: # 22.01.104 (White)
22.01.105 (Black) **2,70 лв с ДДС**
22.01.106 (Grey) **2,70 лв с ДДС**

Incl. Steel striker 20 x 20 mm with adhesive tape for glass fixing & screw hole for wood fixing.




Screws to be ordered separately



CHANGE OF EXTENSION LENGTH



Mounting of latch



GLASS DOOR HINGES - NO DRILLING

SS-304 GLASS DOOR HINGE „GRACE“ F/5-8,76 MM GLASS

Mounting:

Glass: Ø 10 mm boring holes
Wood: 7 x 4 mm screw holes

Material:

Stainless steel 304
- polished

Hinge size: 52 x 31 13 mm (H/W/D)

Glass thickness: 5-8,76 mm

Max door size: 650 x 900 mm


Max door weight: 6 kg per hinge

Function:

Inset or half-overlay
Opening 180°

15.06.470	високо рамо	22,50 лв
15.06.471	средно рамо	22,50 лв


Each hinge is supplied with 2 white cushions 1 mm thickness



Inset



Half-overlay



GLASS DOOR HINGES - NO DRILLING

GLASS DOOR HINGE D-13/2 TOP & BOTTOM


Function:
For inset doors. W/catch function.
Top & Bottom. Sparkled front plate.

Mounting:
W/plastics screws w/soft tip & pad.

Material: Zamak
Size: 40 x 30 mm
Glass thickness: 5 - 6 mm

Item No.:

15.06.102	хром	12,77 лв
-----------	------	----------



GLASS DOOR HINGE D-16 TOP & BOTTOM


Function:
For overlay doors. W/catch function.
Top & Bottom. Sparkled front plate.

Mounting:
W/plastics screws & foam pad.

Material: Zamak
Size: 40 x 30 mm
Glass thickness: 5 - 6 mm

Item No.:

15.06.415	хром	13,40 лв
-----------	------	----------



GLASS DOOR HINGE C-13 CENTRE


Function:
For inset doors. W/catch function. Centre- or top
fixation if roundend doors. Sparkled front plate.

Mounting:
W/plastics screws w/soft tip & pad.

Material: Zamak
Size: 40 x 30 mm
Glass thickness: 5 - 6 mm

Item No.:

15.06.311	хром	5,30 лв
-----------	------	---------



LIFT-OFF BUTT HINGE SS-304 FOR UV-GLUE


Mounting: By UV-glue B 682-0
from Bohle.
UV-lamp is needed

Material: 2,5 mm stainless
steel 304 - polished

Hinge size: 65 X 50 mm (H/W)

Function: Inset doors
Max door width 500 mm
Load capacity: 7,5 KG
per pair
Opening angle 270°
Glass thickness: 4-8 mm

15.13.590	дясна	13,20 лв
15.13.600	лява	13,20 лв



BUTT HINGE SS-304 FOR UV-GLUE


Mounting: By UV-glue B 682-0
from Bohle.
UV-lamp is needed

Material: 2 mm stainless
steel 304 - polished

Hinge size: 65 x 50 mm (H/W)

Function: Inset doors
Max door width 500 mm
Load capacity: 7,5 KG
per pair
Opening angle 270°
Glass thickness: 4-8 mm


15.13.105	13,20 лв
-----------	----------



BRASS BUTT HINGE FOR UV-GLUE

Mounting:	By UV-glue B 682-0 from Bohle UV-lamp is needed		
Material:	2,9 mm Brass - Chrome Plated		
Hinge size:	60 x 60 mm (H/W)		
Function:	Inset doors Max door width 500 mm		
Load Capacity:	7,5 Kg per pair		
Opening:	270°		
Glass thickness:	4-8 mm		
Finish:	Chrome Plated (CPL)	# 15.13.110	
	SS-Look (nickel brushed)	# 15.13.111	

#15.13.110 - 30,62 лв
с ДДС



GLASS DOOR HINGE FOR UV-GLUE

PIVOT HINGE SS-304 FOR UV-GLUE

Mounting: By UV-glue B 682-0 from Bohle.
UV-lamp is needed


Material: Brushed SS-304

Function: Pivot hinge for UV-glue, max. 12 mm glass thickness, max load cap- 10 Kg.
A threaded pin in the hinge allows the door to be removed after gluing

Item No:

Pivot hinge Ø20 mm # 15.06.015

15.06.016	ф30 мм	39,50 лв
-----------	--------	----------



PIVOT HINGE SS-304 FOR UV-GLUE

Mounting: By UV-glue B 682-0 from Bohle.
UV-lamp is needed


Material: Brushed SS-304

Function: Pivot hinge for UV-glue, max. 10 mm glass thickness, 180 degree. max load cap. 5 Kg. pr hinge.
A threaded pin in the hinge allows the door to be removed after gluing

Item No:

Pivot hinge Ø44 mm. # 15.06.011

15.06.010	ф24 мм	24,00 лв
-----------	--------	----------



MAGNETIC CATCH FOR UV-GLUE, SS-304

Mounting: By UV-glue B 682-0 from Bohle.
UV-lamp is needed

Material: Brushed SS-304


Function: Magnetic catch for UV-glue, magnetic locking force 2 Kg.

Item No:

Magnetic catch 30x12x12 mm. # 22.01.140

Magnetic catch 11x12x12 mm. # 22.01.145

22.01.140	двоен	21,60 лв
22.01.145	единичен	15,20 лв




MIRROR SCREWS W/CAP

ROUND STRIKER - SELF ADHESIVE

For Rigid Fixation
- Stick On Type

Material: Steel
Nikel plated
Diameter: Ø 19 mm

22.01.118
0,49 лв с ДДС



MIRROR OR GLASS CLIP

Application:

For safe mounting of mirrors or other glass panels of 4 mm thickness.

Material:

Plastic transparent


Screw holes: Ø3 mm

Item No.: # 22.05.200

Option:

0,20 лв с ДДС

Also available for other glass thickness upon special request or inquiry.
Other colour available.



MIRROR CLIPS W/SPRING

Приложение:

За монтаж на огледала.
Без разпробиване на стъклото.

Състои се от:

2 пружинни горни скоби
& 2 фиксирани долни скоби.

Дебелина на стъклото: 5 - 6 mm

Отвори за винтове: Ø5 mm


Финиш:

Стомана никелирана # 22.05.100
Stainless steel 304 **6,00 лв с ДДС**

Пакетиране:

400 комплекта в кашон

Винтове и дюбели



SIGNBOARD SCREWS



Application

Mounting of signboards, mirrors etc.

Материал

Месинг

Монтаж

Ø4 mm отвор за винт

Ø 25 x 25 mm


Дебелина панел: 2 - 15 mm

Хром, код

22.11.100

12,50 лв с ДДС

All signboard screws are supplied
w/2 transparent washers



SIGNBOARD HOLDERS



Application

Mounting of signboards, mirrors etc.

Material

Brass

Mounting

Ø4 mm screw hole


Ø 30 x 20 mm

Panel thickness: 6 mm

Chrome plated

22.11.210

10,80 лв с ДДС



SIGNBOARD SCREWS "ALU"

Application

Mounting of signboards, mirrors etc.

Material

Aluminium

Mounting

ø 4 mm screw hole



ø 19 x 25 mm

Panel thickness: 2 - 12 mm

Anodized

22.11.130

7,10 лв с ДДС

Black

22.11.134

6,40 лв с ДДС

ø 25 x 30 mm


Panel thickness: 2 - 12 mm

Alu polished

22.11.145

11,25 лв с ДДС

All signboard screws are supplied
w/2 transparent washers



SIGNBOARD SCREW "SS" W/CSK HEAD

Application

Mounting of signboards, mirrors etc.

Features

Counter sunk head with snake eyes

Material

Stainless steel 304

Mounting

8 x 14 mm screw hole



ø 32 x 28 mm

Panel thickness: 8 - 12 mm

SS 304

22.11.152

36,50 лв с ДДС

All signboard screws are supplied
with black plastic washers

