



KIT 0138-0197 - MAX 40 KG



KIT 0138-0198 - MAX 100 KG




Kit Legend

0134	Carrello con 2 cuscinetti Truck with 2 ball-bearings
0138	Carrello con 4 cuscinetti Truck with 4 ball-bearings
0197	Decelerante fino a 40kg Soft Closing Stopper up to 40kg
0198	Decelerante fino a 100kg Soft Closing Stopper up to 100kg
0164	Attivatore Activator
0106	Guida inferiore fissa Fixed lower runner
0229	Chiave di regolazione mm 7-16 Adjusting spanner mm 7-16

Legend other items

0195		Profilo alluminio superiore Upper aluminium profile
0196		Profilo alluminio superiore Upper aluminium profile
0251		Profilo alluminio inferiore Lower aluminium profile
0189		Staffa a parete regolabile Adjustable wall bracket



Комплект за врати до 40 кг. код: 0138-0197 - **104,00 ЛВ.**

Комплект за врати до 100 кг. код: 0138-0198 - **117,00 ЛВ.**

Релса до 80 кг.

- 2 л.м. код: 0195AF-2000 - **48,00 ЛВ.**

- 3 л.м. код: 0195AF-3000 - **72,00 ЛВ.**


Релса до 120 кг.

- 3 л.м. код: 0196AF-3000 - **115,00 ЛВ.**

Долен профил за врата

код: 0251 - **12,00 ЛВ/М.**

L планка код: 0189 - **2,20 ЛВ.**



Technical drawing of the ART.0134/ART.0138 mounting bracket. The drawing shows a side view of the bracket mounted on a wall and a base plate. Key dimensions include a 32mm horizontal distance from the wall to the center of the bracket, a 29.5mm vertical distance from the base plate to the top of the bracket, and a 24mm vertical distance from the base plate to the bottom of the bracket. The base plate has a width of 27mm and a height of 27mm. The mounting bracket is labeled ART.0189, the base plate is labeled ART.0134, and the mounting bracket is labeled ART.0164. The mounting bracket is also labeled ART.0195.

A	B
larghezza porta - <i>length of the door</i>	lunghezza binario - <i>length of the track</i>
500-700 mm.	1100 mm.
710-900 mm.	1500 mm.
900-1000 mm.	1700 mm.
910-1200 mm.	1900 mm.

КСХ-Хаджидимитров ЕООД София, ул. Тракия 48 тел.: 02 943 45 34 www.obkov.com /e-mail: office@obkov.com

